

ООО «ЭнергоСтройПроект»

+7(950)713-95-05

estp31@mail.ru

www.estp31.ru

308010, Белгородская обл, р-н Белгородский, пгт Северный,
тер. Промышленный парк Фабрика, зд 1, стр. 15



Аллонже

	D / H, mm	Watt	Lumen	Color t°, K
1	108 / 800	48	3850	3000 / 4000 / 5000
2	108 / 1250	96	7701	3000 / 4000 / 5000



1



Аншман

	L / B / H, mm	Watt	Lumen	Color t°, K
1	230 / 150 / 120	27	3350	3000 / 4000 / 5000



Апломδ

L / B / H, mm	Watt	Lumen	Color t°, K
11085 / 100 / 700	112	13440	3000 / 4000 / 5000



Арронди

D / H, mm	Watt	Lumen	Color t°, K
1 600x900 / 700	30	3500	3000 / 4000 / 5000
2 200,300,400,450,500 / 700,830	30,50,100	3600,6000,12000	3000 / 4000 / 5000
3 600 / 700	150	18000	3000 / 4000 / 5000
4 600 / 570	150	18000	3000 / 4000 / 5000
5 623 / 550	150	18000	3000 / 4000 / 5000
6 576 / 728	150	18000	3000 / 4000 / 5000
7 600 / 700	50	6000	3000 / 4000 / 5000



Баллон

D / H, mm	Watt	Lumen	Color t°, K
1 800 / 300	224	26880	3000 / 4000 / 5000
2 520 / 317	60	7200	3000 / 4000 / 5000
3 200,250,300,400,450,500	30,50,100	3600,6000,12000	3000 / 4000 / 5000
4 652 / 485	50	6000	3000 / 4000 / 5000



1

2

3

Батман фондю

	D / H, mm	Watt	Lumen	Color t°, K
1	108 / 800	45	4030	3000 / 4000 / 5000
2	108 / 1000	45	4030	3000 / 4000 / 5000
3	108 / 1200	45	4030	3000 / 4000 / 5000



Бризe

L / B / H, mm	Watt	Lumen	Color t°, K
1 850,600 / 100 / 1250	112	13440	3000 / 4000 / 5000
2 850,600 / 100 / 1250	168	20160	3000 / 4000 / 5000
3 850 / 100 / 670	56	6720	3000 / 4000 / 5000
4 850 / 100 / 670	112	13440	3000 / 4000 / 5000



1

2

3

4

5

Бриллеранно

	D / H, mm	Watt	Lumen	Color t°, K
1	108 / 600	48	3839	3000 / 4000 / 5000
2	108 / 800	73	5014	3000 / 4000 / 5000
3	108 / 1000	83	5726	3000 / 4000 / 5000
4	108 / 1500	67	5379	3000 / 4000 / 5000
5	108 / 2000	87	6913	3000 / 4000 / 5000



Вольтер

L / B / H, mm	Watt	Lumen	Color t°, K
1 1085 / 100 / 700	112	13 440	3000 / 4000 / 5000



Гранд

	L / B / H, mm	Watt	Lumen	Color t°, K
1	920 / 120 / 260	56	6720	3000 / 4000 / 5000
2	920 / 120 / 260	112	13440	3000 / 4000 / 5000
3	920 / 920 / 260	112	13440	3000 / 4000 / 5000
4	1720 / 120 / 260	112	13440	3000 / 4000 / 5000
5	1720 / 120 / 260	224	26880	3000 / 4000 / 5000
6	1720 / 920 / 260	168	20160	3000 / 4000 / 5000
7	1720 / 1720 / 260	224	26880	3000 / 4000 / 5000



1

2

3

4

Дему

	D / H, mm	Watt	Lumen	Color t°, K
1	108 / 600	52	3260	3000 / 4000 / 5000
2	108 / 800	52	3260	3000 / 4000 / 5000
3	108 / 1000	49	3630	3000 / 4000 / 5000
4	108 / 1200	49	3630	3000 / 4000 / 5000



1

2

3

Дубль

	L / B / H, mm	Watt	Lumen	Color t°, K
1	340 / 200 / 600	56	6720	3000 / 4000 / 5000
2	340 / 200 / 800	56	6720	3000 / 4000 / 5000
3	340 / 200 / 1000	56	6720	3000 / 4000 / 5000



ИКЛЭ

	L / B / H, mm	Watt	Lumen	Color t°, K
1	850,600 / 100 / 1250	112	13 440	3000 / 4000 / 5000
2	850,600 / 100 / 1250	168	20160	3000 / 4000 / 5000



1

2

3

Καμδρέ

	L / B / H, mm	Watt	Lumen	Color °, K
1	210 / 100 / 600	27	3350	3000 / 4000 / 5000
2	210 / 100 / 800	27	3350	3000 / 4000 / 5000
3	210 / 100 / 1000	27	3350	3000 / 4000 / 5000



Крузе

L / B / H, mm	Watt	Lumen	Color t°, K
1 700 / 700 / 700	224	26880	3000 / 4000 / 5000



Плие

L / B / H, mm	Watt	Lumen	Color t°, K
1 915 / 120 / 550	56	6720	3000 / 4000 / 5000
2 912 / 120 / 550	112	13440	3000 / 4000 / 5000



Релеве

L / B / H, mm	Watt	Lumen	Color t°, K
1 860 / 133 / 1010	56	6720	3000 / 4000 / 5000
2 860 / 133 / 1010	112	13 440	3000 / 4000 / 5000
3 1587 / 133 / 1010	112	13 440	3000 / 4000 / 5000
4 1587 / 133 / 1010	224	26 880	3000 / 4000 / 5000



1

2

3

Солитарно

	L / B / H, mm	Watt	Lumen	Color t°, K
1	200 / 200 / 600	27	3350	3000 / 4000 / 5000
2	200 / 200 / 800	27	3350	3000 / 4000 / 5000
3	200 / 200 / 1000	27	3350	3000 / 4000 / 5000



1

2

3

СЭМНЛ

	L / B / H, mm	Watt	Lumen	Color t°, K
1	100 / 310 / 800	27	3350	3000 / 4000 / 5000
2	100 / 310 / 1000	27	3350	3000 / 4000 / 5000
3	100 / 310 / 1200	27	3350	3000 / 4000 / 5000



150

ТЭМ

D / H, mm	Watt	Lumen	Color t°, K
1 600 / 600	150	18000	3000 / 4000 / 5000
2 600 / 600	150	18000	3000 / 4000 / 5000
3 650 / 540	60	7200	3000 / 4000 / 5000



1 2 3 4 5 6 7 8 9

Шенé

	L / B / H, mm	Watt	Lumen	Color t°, K
1	100 / 100 / 2130	52	3260	3000 / 4000 / 5000
2	100 / 100 / 2020	49	3630	3000 / 4000 / 5000
3	100 / 100 / 1855	98	7209	3000 / 4000 / 5000
4	100 / 100 / 1643	98	7209	3000 / 4000 / 5000
5	100 / 100 / 1600	95	7568	3000 / 4000 / 5000
6	100 / 100 / 1600	93	7747	3000 / 4000 / 5000
7	100 / 100 / 1645	92	7932	3000 / 4000 / 5000
8	100 / 100 / 1755	91	8094	3000 / 4000 / 5000
9*	3000 / 1500 / 2150*	668	52649	3000 / 4000 / 5000



1



2




3

Экарте

L / B / H, mm	Watt	Lumen	Color t°, K
1 240 / 110 / 600	27	3350	3000 / 4000 / 5000
2 240 / 110 / 800	27	3350	3000 / 4000 / 5000
3 240 / 110 / 1200	27	3350	3000 / 4000 / 5000


TYPE 1




TYPE 2



TYPE 3



TYPE



**COLORS &
TEXTURE**




MENU

СКВОЗНОЙ КРЕПЕЖ НА БОЛТАХ

Применяется на столбах
от 2000мм




ДЕКОРАТИВНЫЙ МОНТАЖНЫЙ ЛЮК
ИЗГОТОВЛЕННЫЙ ЗАПОДЛИЦО




ЗАКЛАДНЫЕ ДЕТАЛИ



L230/B230/H1200
Proportions



Profile cutout



	L, mm	B, mm	H, mm
1	230	230	800
2	230	230	1000
3	230	230	1200
4	230	230	1800

TYPE 1

SUPPORT




D108/H3000

Proportions




COLOR





Profile cutout



	D, mm	H, mm
1	108	3000
2	108	4000
3	108	5000
4	108	6000

TYPE 2

SUPPORT



D108/76 /H3000
Proportions



COLOR





1



2




3



4

Profile cutout



	D, mm	H, mm
1	108 / 76	3000
2	108 / 76	4000
3	108 / 76	5000
4	108 / 76	6000

TYPE 3


SUPPORT



L100/B100/H3000
Proportions



COLOR





1



2




3



4

Profile cutout



	L, mm	B, mm	H, mm
1	100	100	3000
2	100	100	4000
3	100	100	5000
4	100	100	6000